

Certificate of Analysis

CORDYCEPS EXTRACT; Lot #: 240531-2

CORDYCEPS EXTRACT; Batch #: 15112

Manufacture Date: 04/28/2025

Expiration Date: 04/28/2029

Test	Specification	Test Result	Method	Result Date
Microbiology				
TOTAL PLATE COUNT	< 100000 CFU/g	540 CFU/g	SOP_6_503_A	2025-05-05
YEAST & MOLD	< 1000 CFU/g	8 CFU/g	SOP_6_503_A	2025-05-05
S. AUREUS	Equal to absent	absent	SOP_6_503_A	2025-05-05
SALMONELLA	Equal to absent	absent	SOP_6_503_A	2025-05-05
E. COLI	Equal to absent	absent	SOP_6_503_A	2025-05-05
Heavy Metals			SOP_6_602_B	
ARSENIC	< 2 ppm	0.0210 ppm		2025-05-05
CADMIUM	< 2 ppm	0.0152 ppm		2025-05-05
LEAD	< 2 ppm	< 0.0200 ppm		2025-05-05
MERCURY	< 2 ppm	< 0.0200 ppm		2025-05-05
Active Compounds				
BETA-GLUCAN	>= 25.0 g/100g	29.4 g/100g	SOP_6_601_C	2025-05-07

References

SOP_6_503_A: Based on USP <2021>/<2022>, modified and validated on 2018-12-21.
Unless reported on this Certificate of Analysis, suitability testing is not performed.
SOP_6_602_B: ICP-MS based on USP <232>/<233>, modified from EP 2.4.27.
SOP_6_601_C: Beta-glucan determined using the Megazyme K-YBGL assay kit, specific for yeast and mushroom (1→3)(1→6)-β-D-glucans; validated on 2025-03-17.

Rechecked & Approved: June 1, 2025 by Jeremy Downs